


Product Catalog

Scaffolding & Accessories



Custom sizes available upon request. OEM branding supported.



Company Profile & Introduction

BS1139 / EN74 Standard • Factory Direct • Global Delivery

Bonin Scaffolding & Accessories is a dedicated manufacturer and exporter of high-quality scaffolding components and formwork solutions. Strategically located in Nantong, China—the hub of scaffolding manufacturing—we specialize in supplying high-quality couplers, jack bases, and shoring props to the global construction industry. We bridge the gap between world-class manufacturing and global project needs, ensuring safety in every connection.

We understand that quality is the lifeline of construction. Our products undergo rigorous testing, from raw material inspection to final load capacity tests, ensuring compliance with international standards (BS/EN/AS). Whether you need Drop Forged Couplers, Adjustable Screw Jacks, or a mixed container of accessories, Bonin Scaffolding offers factory-direct pricing with the flexibility of a professional trading partner.

Adjustable Systems



Base Jack (Hollow)

Material: Q235/Q345 Steel
Diameter: Ø38mm / Ø48mm
Pipe Thickness: 4.0mm - 6.0mm
Length: 600mm, 760mm, 914mm
Base Plate: 150x150x6mm



U Jack (Hollow)

Material: Q235/Q345 Steel
Diameter: Ø38mm / Ø48mm
Pipe Thickness: 4.0mm - 6.0mm
Length: 600mm, 760mm, 914mm
Base Plate: 180x150x50x6mm



Base Jack (Solid)

Material: Q235/Q345 Steel
Diameter: Ø32mm / Ø34mm
Length: 600mm, 760mm, 914mm
Base Plate: 120x120x4mm
Customizable



U Jack (Hollow)

Material: Q235/Q345 Steel
Diameter: Ø38mm / Ø48mm
Length: 600mm, 760mm, 914mm
Base Plate: 150x120x50x4mm
Customizable



Jack Nut

Material: Cast steel
Diameter: Ø32mm / Ø34mm / Ø38mm / Ø48mm



Base Plate

Material: Q235/Q345 Steel
Size: 120x120x4mm
150x150x6mm

Custom sizes available upon request. OEM branding supported.

Shoring Props



Steel Prop

Material: Q195/Q235

Surface Treatment:

Galvanized Painted

Powder Coated

Size: 1.7-3.0m

1.8*3.2m

2.0-3.5m

2.2-3.9m

2.5-4.5m

3.0-5.5m

Tube Size: Inner/Outer

40/48mm; 48/56mm

40/56mm; 48/60mm

Type: Common Type

Cup-nut Type



Sleeve



Common Nut




Cup Nut



G Pin




Base Plate



Wire & Chain Pin



Tripod



Fork Head

Custom sizes available upon request. OEM branding supported.

Scaffolding Coupler

British



swivel coupler



double coupler

Japanese



swivel coupler



double coupler

Korean



swivel coupler




double coupler

More Forged Pressed Coupler




Size: 48.3mm / 48.6mm Standard: BS1139/JIS

Ringlock System



Ringlock System



Custom sizes available upon request. OEM branding supported.

Cuplock System



Cuplock System



Diagonal Brace



Ledger



Top Cup



Standard



Bottom Cup



ledger blade



Transom




Side Bracket

Custom sizes available upon request. OEM branding supported.


Frame System



Frame System



Main Frame



H Frame



Cross Brace



Joint Pin



Lock Pin



Cat Walk



Ladder



Caster Wheel

Custom sizes available upon request. OEM branding supported.

Formwork Accessories




Triangle Prop



U-Shaped Post Anchor



Floor Socket



Tie Rod



Tie Rod Nut



Washer Plate



Water Stop Tie Rod

Custom sizes available upon request. OEM branding supported.

CONTACT

Email

sales@scaffolding.com

Web

www.boninscaffolding.com

WhatsApp

+86 136 4619 6162

Address

No. 28 West Zhongshan Road,
Chenbei Street, Nantong, Jiangsu,
China